



CLEANROOM FURNITURE



www.guardtech.com

 **Guardtech**
group



the
GUARD
charter

-  **GUIDE** Knowledgeable & Collaborative
-  **UNDERSTAND** Analytical & Reflective
-  **ADAPT** Flexible & Innovative
-  **RESPOND** Reactive & Thorough
-  **DELIVER** Dependable & Committed



CLEANROOM FURNITURE

Stepovers	p4	Sinks	p12
Benches		Taps	p14
Lockers	p6	Waste sack holders	p15
Cabinets	p6	Chairs	p16
Shelving	p8	Work Benches	p20
Accessories	p9	Trolleys & Buggies	p22
Garment Storage	p10		

STEPOVER WITH COMPARTMENTS

Stepover benches manufactured from grade 304 stainless steel (also available in 316) with an electro-polished surface, continuously welded seams and non shedding adjustable levelling feet. Stepover benches create a physical barrier between the clean and dirty side of a changing area,

helping to ensure good gowning practice whilst also providing useful storage space in often cramped spaces. Stainless is a preferential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistance to acids and cleaning agents.

STAINLESS STEEL

● Standard configurations are presented on the following pages, however stepovers can be manufactured in custom sizes and configurations to suit any space and layout. Popular bespoke options include L-shape configurations and units with integrated lockers or pigeon hole storage space.

Stepover with compartments:

- Grade 304 stainless steel frame, legs & surface
- Fully welded seams
- Adjustable levelling feet
- Storage compartments under bench
- Also available in grade 316 stainless



BENCHES



Single shelf

W	D	H	COMPARTMENTS	PRODUCT CODE
1000	400	450	4	GSSB4C404510
1200	400	450	5	GSSB5C404512
1500	400	450	6	GSSB6C404515
1800	400	450	7	GSSB7C404518
2000	400	450	8	GSSB8C404520
2500	400	450	10	GSSB10C44525

Dual shelf

W	D	H	COMPARTMENTS	PRODUCT CODE
1200	400	450	10	GSSB10C44510
1200	400	450	12	GSSB12C44512
1500	400	450	14	GSSB14C44514
1800	400	450	16	GSSB16C44516
2000	400	450	18	GSSB18C44520
2500	400	450	20	GSSB20C44525

TRESPA STEPOVER BENCHES

Trespa is a high-pressure compact laminate consisting of layers of wood-based fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers are impregnated with melamine based resins. These components are bonded together with simultaneous application of heat and high specific pressure to create a homogeneous non-porous material with increased density and high chemical resistance whilst providing attractive aesthetics. The bench framework is created from powder-coated steel box section to give the benches strength and stability.



Stepover with compartments:

- High pressure laminate (Trespa) surfaces
- Powder-coated steel box section framework
- Clean and durable material
- Storage compartments under bench
- Available with lockable cabinet doors
- Available with coat rail and hooks or hangers

W	D	H	COMPARTMENTS	PRODUCT CODE
1000	400	450	3	GTSB3C404510
1200	400	450	4	GTSB4C404512
2000	400	450	6	GTSB6C404520
2500	400	450	8	GTSB8C404525
2900	400	450	10	GTSB10C44529

Also available as a seating bench:



LOCKERS

STAINLESS STEEL

Manufactured from grade 304 stainless steel with a sloping top to prevent particulate settlement, Guardtech stainless lockers are

designed to provide operators with safe storage of personal belongings and clothing prior to entrance into the controlled area.



- Mild steel painted
- Compartments individually lockable
- May be louvered for air circulation
- Sloping roof optional
- Variety of door arrangements
- Locks available

UNITS	PRODUCT CODE
1	GTCLOCKER1
2	GTCLOCKER2
3	GTCLOCKER3
4	GTCLOCKER4
5	GTCLOCKER5
6	GTCLOCKER6

GARMENT LOCKERS

Call 0330 113 0303



CABINETS

STAINLESS STEEL

Manufactured from grade 304 stainless steel, on adjustable levelling legs to aid cleaning underneath and with a sloping top to prevent particulate settlement. Tall cupboards are available with internal shelves and can be lockable.



Tall cabinet

- Grade 304 stainless steel
- Adjustable levelling feet
- Hygienic sloping roof
- Internal shelves available
- Available as mobile units on castors
- Available in grade 316 stainless
- Available with camlock and key

W	D	H	PRODUCT CODE
900	457	1880	GSTC18457900
1200	457	1880	GSTC2D4571200
900	610	1880	GSTC2D610900
1200	610	1880	GSTC2D6101200

Short cabinets with drawers



Manufactured from grade 304 stainless steel, available as cabinet units, drawer units or a combination of both. Integrated cupboard and drawer handles with hygienic slope, units raised from the floor with adjustable levelling legs to facilitate accessible cleaning underneath.

CUPBOARDS: Each with internal mid height shelf
DRAWER UNITS: Each comprise of four drawers (as pictured)

- Grade 304 seamless welds
- Available with sliding doors
- Available with camlock & key
- Available in grade 316
- Available with 13-amp sockets
- Internal shelf options

CONFIGURATION	W	D	H	PRODUCT CODE
One door + one drawer unit	1200	600	850	GSSC1C4D1285
Two door cupboard + one drawer unit	1500	600	850	GSSC2C4D1585
Two door cupboard + two drawer units	1800	600	850	GSSC2C8D1885
Two door + one overhead drawer	1200	600	850	GSSC2C1D1285
Two door + two overhead drawers	1200	600	850	GSSC2C2D1285

TRESPA

Trespa cabinets are designed to be long-lasting, easy to clean and resistant to chemicals and acids. This product is designed to be manoeuvrable and fit underneath Trespa worktops.



- Designed to fit underneath work benches
- Easy to clean, chemical resistant surface
- Damage resistant Trespa TopLab Base worktop
- Adjustable leveling feet

D	L	H	CUPBOARDS	CUPBOARD ONLY	+ ONE LARGE DRAWER	+ MULTI-DRAWERS
600	600	850	1	GT1C0D608560	GT1C1D608560	-
1200	600	850	2	GT2C0D608512	GT2C1D608512	GT2C2D608512
1500	600	850	3	GT3C0D608515	GT3C1D608515	GT3C3D608515
1800	600	850	4	GT4C0D608518	GT4C1D608518	GT4C4D608518

SHELVING

STAINLESS RACKING

Guardtech stainless racking is manufactured from grade 304 stainless steel 30x30mm box section, continuously seam welded to eliminate ledges that are typically found with standard modular shelving units.

- Standard shelves are slatted to allow for airflow to pass through and to minimise ledges for particulate settlement, but can also be provided solid or perforated.

- Grade 304 stainless steel 30mm box section
- Fully welded construction
- Available as mobile unit with swivel castors
- Available with solid or perforated stainless sheet shelves
- Available as two, three and five-shelf units



For more info on these units, call 0330 113 0303



Four legs - four shelf units

W	D	H	PRODUCT CODE
610	450	1530	GSSR4S450610
914	450	1530	GSSR4S450914
1219	450	1530	GSSR4S451219
1524	450	1530	GSSR4S451524
1829	450	1530	GSSR4S451829
610	600	1530	GSSR4S600610
914	600	1530	GSSR4S600914
1219	600	1530	GSSR4S601219
1524	600	1530	GSSR4S601524

STAINLESS STEEL WIRED UNITS

A cost-effective alternative to solid stainless shelving, grade 304 wire racking units, durable and cleanable, which also allow for maximum airflow around stored products.

- Grade 304 stainless steel shelves
- Grade 304 stainless steel poles
- Adjustable levelling feet
- Configurable shelf heights
- 100kg max loading per shelf
- Mobile version available
- Available with four or six legs
- Available as a trolley unit with handle

CLEANROOM ACCESSORIES



W	D	H	COMPARTMENT	PRODUCT CODE
300	200	400	Single	GSMPD1402030
600	200	400	Double	GSMPD2402060
900	200	400	Triple	GSMPD3402090

Stainless steel fire extinguishers with stand

- Corrosion resistant
- Double stand



Multi-purpose dispenser

- Designed to hold pair packed gloves
- Also goggles, overshoes, mob caps
- Grade 304 stainless steel
- Vision slots
- Hinged lid and lip at the front

Glove dispenser

- Designed to hold boxed gloves
- Also beard snoods & mob caps
- Grade 304 stainless steel
- Open top for easy loading
- Wall mounted



W	D	H	COMPARTMENT	PRODUCT CODE
165	100	260	Single	GSGD1B260165
330	100	165	Double	GSGD2B165330
495	100	165	Triple	GSGD3B165495



Paper towel dispenser

- Grade 304 stainless steel
- Wall mounted
- Top loading

W	D	H	PRODUCT CODE
290	100	365	GSPTDT290365



Centre pull roll dispenser

- Grade 304 stainless steel
- Wall mounted
- Vision slot

W	D	H	PRODUCT CODE
200	215	365	GSCPD2215365



Dyson hand dryer

- Touch-free proximity sensor
- Antibacterial additive in the paint
- HEPA filtered air supply
- Extends only 100mm from wall

W	D	H	PRODUCT CODE
235	100	395	GSDVHD235395



Wall mounted coat hooks

- Available in grade 304 stainless
- Pre-drilled for easy wall mounting

HOOKS	STAGGERED	NON-STAGGERED
10	GSWMCHST0010	GSWMCHNST010
20	GSWMCHST0020	GSWMCHNST020

GARMENT STORAGE

STAINLESS STEEL RAIL


Grade 304 stainless steel box section frame with tube rail complete with stainless steel captive hangers for garment storage in change areas. Standard option comes as a basic rail, but can also be manufactured with coat hooks.

- Grade 304 stainless steel
- Can be integrated with stepover benches
- Adjustable levelling feet
- Mobile version available
- Also available with hooks
- Available in grade 316



Coat hooks available – call 0330 113 0303

L	W	H	HANGERS	PRODUCT CODE
1200	600	1600	10	GSGR10120160
1200	600	1600	15	GSGR15120160
1200	600	1600	20	GSGR20120160
1300	600	2180	12	GSGR12130218
1600	600	2180	24	GSGR24160218



GARMENT LOCKER



- Garment lockers are used as part of a uniform management system, allowing for inventory to be stored in individual lockers and re-stocked with master access to all compartments.
- Supplied with cam or hasp & staple locks
- 304 grade stainless steel
- Compartments individually lockable
- Can be louvred for air circulation
- Sloping roof option
- Master door to front or rear
- Available in grade 316



COMPARTMENTS	W	D	H	PRODUCT CODE
10	400	405	1990	GSGD10405400
15	400	405	1990	GSGD15405400
45	1050	405	1990	GSGD45451050
45	972	405	1990	GSGD45451990

PIGEON HOLE SHOE RACK



- Grade 304 stainless steel
- Adjustable levelling feet
- Open front and easy to clean sloping top
- Can be incorporated into stepover benches

PAIRS	W	D	H	PRODUCT CODE
10	569	350	1700	GSSR10170569
15	840	350	1700	GSSR10170840
20	1120	350	1700	GSSR20171120
30	1690	350	1700	GSSR30171690

SINKS

Guardtech sinks are manufactured from grade 304 stainless steel and are designed for washrooms and change areas in critically controlled environments. Sinks are available with a standard lever tap system, knee operated or with infrared motion detection taps for hands-free operation to reduce cross contamination from contact.

The following pages illustrate some standard options – however, sink and tap configurations can be manufactured to meet the exact space and specification requirements of your business.

- Grade 304 stainless steel
- One tap and bowl per operator configuration
- Motion detector taps as standard
- Sloping top and high splashback
- Dyson Airblade taps (pictured) available
- Available in grade 316 stainless steel

OPERATORS	W	D	H	SINK H	PRODUCT CODE
1	565	540	1450	850	GSBS1P540565
2	1130	540	1450	850	GSBS2P541130
3	1695	540	1450	850	GSBS3P541695
4	2290	540	1450	850	GSBS4P542290

Wall-mounted sink



FEATURES

- Easy to clean sloping top
- Optional under-sink shelving & cupboards
- Available with point-of-use heaters
- Drainage pumps can be incorporated
- Open pedestal or stainless shroud options
- Available in 316 stainless steel

INSET BOWL SINK UNITS



SINKS WITH DRAINER & CUPBOARD



- Flush wall fitting provided by inset legs
- Taps mounted on rear ledge or splashback
- Height adjustable versions available
- Easy to clean sloping top
- 100mm upstand
- Single or double bowl configuration
- Also available with tall splashback

TROUGH – KNEE OPERATED

- Trough-style basin
- Also available with motion detector taps or Dyson Airblade taps
- Available open on pedestal or shrouded in 304 stainless steel
- Also available as a wall-mounted unit

OPERATORS	W	H	PEDESTAL	SHROUDED
1	465	400	GSTSKP140465	GSTSKS140465
2	800	400	GSTSKP240800	GSTSKS240800
3	1200	400	GSTSKP340120	GSTSKS340120
4	1600	400	GSTSKP440160	GSTSKS440160
5	2000	400	GSTSKP540200	GSTSKS540200
6	2400	400	GSTSKP640240	GSTSKS640240

Pedestal version pictured



UTILITY SINKS

- Easy to clean sloping top
- 350mm tall splashback
- Flush wall fitting provided by inset legs
- Taps mounted on rear ledge or on splashback
- Single or double bowl configuration
- Also available with low splashback

Single bowl utility sink

Double bowl utility sink

W	D	H	BOWL D	BACK H	PRODUCT CODE
1410	750	850	450	350	GSUS2B451410
1910	750	850	450	350	GSUS2B451910
1410	750	850	600	350	GSUS2B601410
1910	750	850	600	350	GSUS2B601910

W	D	H	BOWL D	BACK H	PRODUCT CODE
910	750	850	450	350	GSUS1B450910
1160	750	850	450	350	GSUS1B451160
1410	750	850	450	350	GSUS1B451410
1910	750	850	450	350	GSUS1B451910
910	750	850	600	350	GSUS1B600910
1160	750	850	600	350	GSUS1B601160
1410	750	850	600	350	GSUS1B601410
1910	750	850	600	350	GSUS1B601910

● Ideal for use in washrooms combined with pre-rinse tap units, Guardtech sink, drainer and cupboard combinations provide the perfect self-contained wash station with ample storage solutions.

CONFIGURATION	W	D	H	PRODCUT CODE
Single drainer & bowl with two-door cupboard	1000	600	900	GSS1D1B2C100
Single drainer & bowl with three-door cupboard	1800	600	900	GSS1D1B3C180
Single drainer & two bowl with three-door cupboard	1800	600	900	GSS1D2B3C180
Double drainer & two bowl with four-door cupboard	2400	600	900	GSS2D2B4C240

TAPS & DRAINAGE

A range of specialist taps and pre-rinse units can be installed on any Guardtech sink unit from the previous pages.

TAP	PRODUCT CODE
Dyson Airblade tap	GSTDA1000000
Motion sensor tap	GSTMS1000000
Lever 3" pillar tap	GSTL3P000000
Deck lever 3" tap	GSTDL3000000
Pre-rinse mono block	GSTTPRM0000
Short pre-rinse	GSTSPRO00000
Short pre-rinse with pot filler	GSTSPRPF0000



Pre-rinse mono block



Short pre-rinse



Short pre-rinse with pot filler



Lever 3" pillar tap

DRAINAGE

Drainage Channel



Floor Drain

● Stainless steel drainage products provide an easy-to-clean, non-corrosive solution

● Drainage pipes, channels, drains and dump pots available in 304 or 316 stainless steel

● Available in a wide range of sizes and configurations

● Guardtech can also provide quotation for ground-works. Please call to hear all your options

TAP	PRODUCT CODE
Stainless straight drain pipe	Call for options
Stainless drainage channel	Call for options
Stainless floor drain	Call for options
Stainless bends	Call for options

WASTE SACK HOLDERS

● Waste sack holders in grade 304 stainless steel, open or shrouded units available with a hands-free system using a foot pedal to operate the lid, eliminating hand contact and minimising the risk of contamination.



Shrouded pedal bin

- Grade 304 stainless steel
- 350mm ring diameter
- 75-litre capacity
- Complete with lid
- Bag-clamping band

W	D	H	PRODUCT CODE
500	400	800	GSBLPS504080



Pedal bin

- Grade 304 stainless
- 350mm ring diameter
- 75-litre capacity
- Complete with lid
- Bag-clamping band

W	D	H	PRODUCT CODE
500	400	800	GSBLP0504080



Waste bag holder

- Grade 304 stainless
- 350mm ring diameter
- Free standing
- 800mm high
- Bag-clamping band

CONFIGURATION	D	PRODUCT CODE
With lid	350	GSBNNWM00350
Without lid	350	GSBLNWM00350



Flip lid bin

- Grade 304 stainless
- Swing lid
- Removable top
- Adjustable feet
- Fully enclosed

W	D	H	PRODUCT CODE
400	400	800	GSBLFS404080
300	300	600	GSBLFS303060

Wall-mounted bag holder



- Wall mounted
- Grade 304 stainless
- 350mm diameter
- With or without lid
- Bag-clamping band

D	H	PRODUCT CODE
350	800	GSBNN0504080

CLEANROOM CHAIRS

MVMT PRO

The MVMT Pro is designed for today's ultra-critical environments including static-sensitive and particle/microbe-controlled areas. The MVMT Pro offers weight-activated control, meaning an individual user's weight sets the tension, which alleviates resetting controls in multi-user shift workplaces.

- The seating is engineered for a task-specific range of motion and constant use. The MVMT Pro has a high end modern aesthetic and positively enhances corporate image.

- Waterfall-front seat 18.5" wide x 17" deep x 3" thick with four-way contouring

- Backrest 15.5" wide with full lumbar support

- Soft-touch pneumatic seat-height adjustment, rearward seat tilt, backrest tilt and height adjustment

- Optional - static control seating with ESD upholstery - rated to Class 1/ISO Class 3

- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied

- Lock-out control mechanism can be locked in three different reclining positions with a simple twist of a knob

- Suitable for ISO3 to ISO5 controlled environments

- QR code profile system delivers individual webpage for every specific MVMT unit manufactured

- Hermetically sealed under-seat rubber boot encapsulates moving parts and meets the stringent requirement of ISO3

- Supported by a generous 13-year warranty



SEAT HEIGHT	BACK REST HEIGHT	BLUE UPHOLSTERY	BLACK UPHOLSTERY
Desk (17 - 21")	Tall (19.5")	GCMVPBL17195	GCMVPBK17195
Bench (20 - 27")	Tall (19.5")	GCMVPBL20195	GCMVPBK20195
High Bench (24 - 33")	Tall (19.5")	GCMVPBL24195	GCMVPBK24195
Desk (17 - 21")	Short (15")	GCMVPBL01715	GCMVPBK01715
Bench (20 - 27")	Short (15")	GCMVPBL02015	GCMVPBK02015
High Bench (24 - 33")	Short (15")	GCMVPBL02415	GCMVPBK02415



Arm rest

Armrest adjustment - height, width and depth can be adjusted & locked



Foot ring

Height adjustable stainless steel footring - 22" diameter slides easily, holds positively and stays put



Controls

Adjust seat height, tilt, slide, backrest angle and height, micro-tension control & control lockout



Base

Resistance casters featuring a semi-soft tread that won't roll away easily

MVMT TECH

Like the MVMT Pro, the Tech Series was created for ultra-critical environments including static-sensitive and particle/microbe-controlled areas such as medical device manufacturing, genetic research, pharmaceutical processing and similar facilities.

- Tech Series comes without arms as standard to allow tucking under work surfaces. Models available with tall and medium backrests and 13-year warranty.

- Similar to the MVMT Pro but with slightly downgraded control mechanisms, a cost effective yet high quality cleanroom seating option

- Intuitive functionality including weight-activated control and synchronous seat and backrest

- Engineered for task-specific range of motion and frequent use

- Exclusive QR code product tag delivers individual webpage for every MVMT unit manufactured

- Easy wipe-down upholstery

- ISO Class 5 clean room models available

- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting chair from rolling away

- Arm rests are available upon request

- Also available in high bench size (seat height 24-33")



Controls

Task control with soft touch pneumatic adjusts seat height and backrest angle and height



Ergonomic

Contoured foam and vacuum formed vinyl upholstery provide well-supported comfort

SEAT HEIGHT	BACK REST HEIGHT	BLUE UPHOLSTERY	BLACK UPHOLSTERY
Desk (17 - 21")	Tall (19.5")	GCMVTBL17195	GCMVTBK17195
Bench (20 - 27")	Tall (19.5")	GCMVTBL20195	GCMVTBK20195
High Bench (24 - 33")	Tall (19.5")	GCMVTBL24195	GCMVTBK24195
Desk (17 - 21")	Short (15")	GCMVTBL01715	GCMVTBK01715
Bench (20 - 27")	Short (15")	GCMVTBL02015	GCMVTBK02015
High Bench (24 - 33")	Short (15")	GCMVTBL02415	GCMVTBK02415



CLEANROOM CHAIRS

ELITE

Elite is designed for use at 34-44" high benches. Features include easy pneumatic seat height adjustments from 22-32", an ergonomic seat with four-way contouring and internal seat board bumperguard, a mid-sized back with lumbar support and a plastic protective panel, plus convenient backrest tilt and height adjustments.

- The seat and back are covered with Grade 2 vinyl upholstery for durability and easy-cleaning. The chair rests on a high-profile 25.6" diameter cast aluminium base. Other features include dual-wheel, non-marring polyurethane casters that resist movement when the chair is left unoccupied.

- Ergonomic seat with waterfall front

- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away

- Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest

- 13-year warranty with lifetime warranty on pneumatics

- Optional 22" diameter adjustable footring

- Also available in high bench configuration (seat height 24-33")



SEAT HEIGHT	BACK REST HEIGHT	BLUE UPHOLSTERY	BLACK UPHOLSTERY
Desk (17 - 21")	Tall (19.5")	GCELTBL17195	GCELTBK17195
Bench (20 - 27")	Tall (19.5")	GCELTBL20195	GCELTBK20195
High Bench (24 - 33")	Tall (19.5")	GCELTBL24195	GCELTBK24195
Desk (17 - 21")	Short (15")	GCELTBL01715	GCELTBK01715
Bench (20 - 27")	Short (15")	GCELTBL02015	GCELTBK02015
High Bench (24 - 33")	Short (15")	GCELTBL02415	GCELTBK02415



Optional arm rests – height can be adjusted & locked



Optional height adjustable stainless steel footring – 22" diameter slides easily, holds positively and stays put



Task control with soft touch pneumatic adjusts seat height and back rest angle and height



Resistance casters featuring a semi-soft tread that won't roll away easily

ARMOUR

Rugged multipurpose construction, full ergonomic adjustability and antimicrobial properties make this Armour series chair a versatile seating solution for lower grade controlled environments, laboratories and educational applications.

- This chair is designed for use at 29-33" high desks and benches. Functions include pneumatic seat height adjustment range of 17-21", fixed rearward seat tilt of 3.5 degrees, plus backrest tilt and height adjustment controls. Features 16" wide by 10.75" high backrest with lumbar support, ergonomic 17.5" wide by 15.5" deep seat with waterfall front, robust 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.

Easy-to-clean seat and backrest feature stipple finish and contain UV inhibitor and antimicrobial properties. Metal parts have chrome finish.

- Ergonomic seat with waterfall front

- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away

- Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest

- 13-year warranty with lifetime warranty on pneumatics

- Optional 22" diameter adjustable footring

- Also available in high bench configuration (seat height 24-33")



Task control with soft touch pneumatic adjusts seat height and backrest angle and height



Seat and backrest made from Polypropylene containing UV inhibitor and antimicrobial properties



Built-in tubular footring. Resistance casters featuring a semi-soft tread that won't roll away easily

SEAT HEIGHT	TUBULAR BASE INCLUDING FOOTRING	BASE PLUS ADJUSTABLE FOOTRING
Desk (17 - 21")	GCARMTB00017	GCARMSBFR017
Bench (20 - 27")	GCARMTB00020	GCARMSBFR020
High Bench (24 - 33")	GCARMTB00024	GCARMSBFR024

WORK BENCHES

STAINLESS STEEL

Workbenches manufactured from grade 304 stainless steel (also available in 316) with an electro-polished surface, continuously welded seams and non-shedding adjustable levelling feet. Stainless steel is a preferential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistance to many acids and cleaning agents.

Single bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box section and has the rail at the rear of the unit
- Available on casters as a mobile bench
- Available in 316 stainless steel
- All sizes can be configured with one or two solid shelves



D	L	H	STANDARD FRAME	HEAVY-DUTY FRAME
600	600	900	GSWBSF600600	GSWBHD600600
900	600	900	GSWBSF600900	GSWBHD600900
1200	600	900	GSWBSF600120	GSWBHD600120
1500	600	900	GSWBSF600150	GSWBHD600150
1800	600	900	GSWBSF600180	GSWBHD600180
1500	750	900	GSWBSF750150	GSWBHD750150
1800	750	900	GSWBSF750180	GSWBHD750180
1800	900	900	GSWBSF900180	GSWBHD900180



Triple bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box
- Available on casters as a mobile bench
- Available in 316 stainless steel
- Triple bar undershelf

D	L	H	STANDARD FRAME	HEAVY-DUTY FRAME
600	600	900	GSWBS3600600	GSWBH3600600
900	600	900	GSWBS3600900	GSWBH3600900
1200	600	900	GSWBS3600120	GSWBH3600120
1500	600	900	GSWBS3600150	GSWBH3600150
1800	600	900	GSWBS3600180	GSWBH3600180
1500	750	900	GSWBS3750150	GSWBH3750150
1800	750	900	GSWBS3750180	GSWBH3750180
1800	900	900	GSWBS3900180	GSWBH3900180

HEIGHT ADJUSTABLE WORK BENCH



STAINLESS STEEL DESK



TRESPA WORK BENCH

Trespa is a high-pressure compact laminate consisting of layers of wood-based fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers with melamine-based resins. The components are bonded together with simultaneous application of heat and high-specific pressure to create a homogeneous non-porous clean,



smooth and attractive powder-coated steel box bench frameworks are

fashioned from powder-coated steel box section to give work benches strength and stability.

- Adjustable levelling feet or casters
- Work surface 16mm Trespa Toplab Base EO-00 White
- White powder-coated steel frame - 25x50mm 16 gauge
- 2mm chamfered edges (black)
- Draws below available
- Easy to clean

W	D	H	PRODUCT CODE	PLUS UPSTAND
600	600	900	GTSTDF906060	GTUPSF906060
900	600	900	GTSTDF906090	GTUPSF906090
1000	600	900	GTSTDF906010	GTUPSF906010
1200	600	900	GTSTDF906012	GTUPSF906012
1500	600	900	GTSTDF906015	GTUPSF906015
1800	600	900	GTSTDF906018	GTUPSF906018



Trespa work bench with undershelf

- Adjustable levelling feet or casters
- Button control panel to change height setting
- Available with wheel casters
- Upstand available
- Draws below available

CALL: 0330 113 0303

TROLLEYS

STAINLESS STEEL

Guardtech stainless steel trolleys are available in two variations – grade 304 stainless solid steel shelves or wired. Guardtech also produce a range of trolley pass-through hatches which can be found in our equipment brochure.



SHELVES	L	W	H	PRODUCT CODE
2	700	500	950	GST250700950
3	700	500	950	GST350700950
2	900	600	950	GST260900950
3	900	600	950	GST360900950
4	900	600	1290	GST460900129
2	1000	650	950	GST265100950
3	1000	650	950	GST365100950
4	1000	650	1290	GST465100129
2	1100	700	1000	GST270110100
3	1100	700	1000	GST370110100
4	1100	700	1350	GST470110100

- Grade 304 stainless steel
- 360° casters with brakes on two wheels
- Available with brakes on all casters
- Fully welded seams
- Max load per shelf – 50kg
- Also available in stainless steel wired
- Available in grade 316 stainless



BUGGIES

- Heavy duty 5mm reinforced base
- Fully welded crevice free construction with beaked front rim
- Pushing handle for operation
- Diamond pattern wheels for manoeuvrability
- Can be manufactured without sideflights
- Also available perforated

LITRES	H	L	W	PRODUCT CODE
120	500	600	540	GSB120506054
200	710	700	680	GSB200717068
300	710	940	680	GSB300719468



- Guardtech Cleanrooms – dedicated specifically to cater for the modular cleanroom market.
- Cleanroom Solutions – the newly acquired turnkey construction arm of the Guardtech Group.
- Isoblok Pre-Fab Cleanrooms – plug-and-play modules constructed off site. Coming soon.
- Isopod Rapid Cleanrooms – standardised quick-assembly 'pop-up' units made from stock.
- CleanCube Mobile Cleanrooms – high-quality portable controlled environments.


Guardtech
 group

GUARDTECHGROUP.COM





Guardtech House
Unit 1A Homefield Road,
Haverhill, CB9 8QP



0330 113 0303



sales@guardtech.com



www.guardtech.com



 Guardtech
group

