

CLEANROOM FURNITURE






www.guardtech.com

Guardtech group



CLEANROOM FURNITURE



2



Guardtech group

STEPOVER BENCHES WITH COMPARTMENTS

Stepover benches manufactured from grade 304 stainless steel (also available in 316) with an electro-polished surface, continuously welded seams and non shedding adjustable levelling feet. Stepover benches create a physical barrier between the clean and dirty side of a changing area,

helping to ensure good gowning practice whilst also providing useful storage space in often cramped spaces. Stainless is a preferential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistance to acids and cleaning agents.

STAINLESS STEEL

• Standard configurations are presented on the following pages, however stepovers can be manufactured in custom sizes and configurations to suit any space and layout. Popular bespoke options include L-shape configurations and units with integrated lockers or pigeon hole storage space.

Stepover with compartments:

- Grade 304 stainless steel frame, legs & surface
- Fully welded seams
- Adjustable levelling feet
- Storage compartments under bench
- Also available in grade 316 stainless





Single shelf

W	D	H	COMPARTMENTS	PRODUCT CODE
1000	400	450	4	GSSB4C404510
1200	400	450	5	GSSB5C404512
1500	400	450	6	GSSB6C404515
1800	400	450	7	GSSB7C404518
2000	400	450	8	GSSB8C404520
2500	400	450	10	GSSB10C44525

Dual shelf

W	D	H	COMPARTMENTS	PRODUCT CODE
1200	400	450	10	GSSB10C44510
1200	400	450	12	GSSB12C44512
1500	400	450	14	GSSB14C44514
1800	400	450	16	GSSB16C44516
2000	400	450	18	GSSB18C44520
2500	400	450	20	GSSB20C44525



TRESPA STEPOVER RENCHES

Trespa is a high-pressure compact laminate consisting of layers of woodbased fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers are impregnated with melamine based resins. These components are bonded together with simultaneous application of heat and high specific pressure to create a homogeneous non-porous material with increased density and high chemical resistance whilst providing attractive aesthetics. The bench framework is created from powder-coated steel box section to give the benches strength and stability.

Stepover with compartments:

- High pressure laminate (Trespa) surfaces
- Powder-coated steel box

section framework

- Clean and durable material
- Storage compartments under bench
- Available with lockable cabinet doors
- Available with coat rail and hooks or hangers

W	D	H	COMPARTMENTS	PRODUCT CODE
1000	400	450	3	GTSB3C404510
1200	400	450	4	GTSB4C404512
2000	400	450	6	GTSB6C404520
2500	400	450	8	GTSB8C404525
2900	400	450	10	GTSB10C44529

Also available as a seating bench:










LOCKERS STAINLESS STEEL

Manufactured from grade 304 stainless steel with a sloping top to prevent particulate settlement, Guardtech stainless lockers are

designed to provide operators with safe storage of personal belongings and clothing prior to entrance into the controlled area.

- Mild steel painted
- Compartments individually lockable
- May be louvered for air circulation
- Sloping roof optional
- Variety of door arrangements
- Locks available





Manufactured from grade 304 stainless steel, on adjustable levelling legs to aid cleaning underneath and with a sloping top to prevent particulate settlement. Tall cupboards are available with internal shelves and can be lockable.

- Grade 304 stainless steel
- Adjustable levelling feet
- Hygienic sloping roof



900

1200

1880

1880

GSTC2D610900

GSTC2D6101200

610

610

GARMENT

LOCKERS


Call 0330 113 0303



• Internal shelves available • Available with camlock and key

Short cabinets with drawers





CUPBOARDS: Each with internal mid height shelf DRAWER UNITS: Each comprise of four drawers (as pictured)

- Grade 304 seamless welds
- Available with sliding doors
- Available with camlock & key
- Available in grade 316
- Available with 13-amp sockets
- Internal shelf options
- Two door + one overhea Two door + two overhead

TRESPA



Trespa cabinets are designed to be long-lasting, easy to clean and resistant to chemicals and acids. This product is designed to be manoeuvrable and fit underneath Trespa wo

- Designed to fit underneath work benches
- Easy to clean, chemical resistant surface
- Damage resistant Trespa TopLab Base worktop
- Adjustable leveling feet
- Hygienic sloping roof

D	L	H	CUPBOARDS	CUPBOARD ONLY	+ ONE LARGE DRAWER	+ MULTI-DRAWERS
600	600	850	1	GT1C0D608560	GT1C1D608560	-
1200	600	850	2	GT2C0D608512	GT2C1D608512	GT2C2D608512
1500	600	850	3	GT3C0D608515	GT3C1D608515	GT3C3D608515
1800	600	850	4	GT4C0D608518	GT4C1D608518	GT4C4D608518

Manufactured from grade 304 stainless steel, available as cabinet units, drawer units or a combination of both. Integrated cupboard and drawer handles with hygienic slope, units raised from the floor with adjustable levelling legs to facilitate accessible cleaning underneath.

CONFIGURATION	W	D	H
One door + one drawer unit	1200	600	850
Two door cupboard + one drawer unit	1500	600	850
Two door cupboard + two drawer units	1800	600	850
Two door + one overhead drawer	1200	600	850
Two door + two overhead drawers	1200	600	850

PRODUCT CODE

GSSC1C4D1285

GSSC2C4D1585

GSSC2C8D1885

GSSC2C1D1285

GSSC2C2D1285

			1	-	
89		J		1	
[[
				A	
orkto	pps.		A.	8	



7

SHELVING STAINLESS RACKING

Guardtech stainless racking is manufactured from grade 304 stainless steel 30x30mm box section, continuously seam welded to eliminate ledges that are typically found with standard modular shelving units.

• Standard shelves are slatted to allow for airflow to pass through and to minimise ledges for particulate settlement, but can also be provided solid or perforated.

- Grade 304 stainless steel 30mm box section
- Fully welded construction
- Available as mobile unit with swivel castors
- Available with solid or perforated stainless sheet shelves
- Available as two, three and five-shelf units





Four legs - four shelf units

W	D	H	PRODUCT CODE
610	450	1530	GSSR4S450610
914	450	1530	GSSR4S450914
1219	450	1530	GSSR4S451219
1524	450	1530	GSSR4S451524
1829	450	1530	GSSR4S451829
610	600	1530	GSSR4S600610
914	600	1530	GSSR4S600914
1219	600	1530	GSSR4S601219
1524	600	1530	GSSR4S601524

STAINLESS STEEL WIRED UNITS

A cost-effective Grade 304 stainless steel shelves alternative to solid • Grade 304 stainless steel poles stainless shelving, Adjustable levelling feet grade 304 wire

also allow for maximum

airflow around

For more info on these units, call 0330 113 0303

stored products.

- racking units, durable • Configurable shelf heights and cleanable, which
 - 100kg max loading per shelf
 - Mobile version available
 - Available with four or six legs

• Available as a trolley unit with handle

CLEANROOM ACCESSORIES



W	D	H	COMPARTMENT	PRODUCT CODE
300	200	400	Single	GSMPD1402030
600	200	400	Double	GSMPD2402060
900	200	400	Triple	GSMPD3402090



Glove dispenser

- Designed to hold boxed gloves
- Also beard snoods & mob caps
- Grade 304 stainless steel
- Open top for easy loading
- Wall mounted


D

100

235

H

395





Dyson hand dryer



W

200

215

• Antibacterial additive in the paint

PRODUCT CODE

GSDVHD235395

• Extends only 100mm from wall

• Touch-free proximity sensor

• HEPA filtered air supply

HOOK	STAGGERED	NON-STAGGERED	
10	GSWMCHSTOO10	GSWMCHNST010	
20	GSWMCHST0020	GSWMCHNST020	

8



Stainless steel fire extinguishers with stand

Double stand

Multi-purpose dispenser

Designed to hold pair packed glove

• Also goggles, overshoes, mob caps

• Grade 304 stainless steel

- Vision slots
- Hinged lid and lip at the front



PARTMENT	PRODUCT CODE
Single	GSGD1B260165
Double	GSGD2B165330
Triple	GSGD3B165495



Centre pull roll dispenser

- Grade 304 stainless steel
- Wall mounted
- Vision slot

H	PRODUCT CODE
365	GSCPD2215365

Wall mounted coat hooks

• Available in grade 304 stainless

• Pre-drilled for easy wall mounting

sales@guardtech.com +44(0)33 011 30303

(9)

GARMENT STORAGE STAINLESS STEEL RAIL

Grade 304 stainless steel box section frame with tube rail complete with stainless steel captive hangers for garment storage in change areas.

Standard option comes as a basic rail, but can also be manufactured with coat hooks.

- Grade 304 stainless steel
- Can be integrated with stepover benches
- Adjustable levelling feet
- Mobile version available
- Also available with hooks
- Available in grade 316

Coat hooks available call 0330 113 0303 or email sales@guardtech.com

L	W	H	HANGERS	PRODUCT CODE
1200	600	1600	10	GSGR10120160
1200	600	1600	15	GSGR15120160
1200	600	1600	20	GSGR20120160
1300	600	2180	12	GSGR12130218
1600	600	2180	24	GSGR24160218



GARMENT LOCKER



- and re-stocked with master access to all compartments.
- 304 grade stainless steel

- Sloping roof option
- Master door to front or rear
- Available in grade 316

COMPARTMENTS	W	D	H	PRODUCT CODE
10	400	405	1990	GSGD10405400
15	400	405	1990	GSGD15405400
45	1050	405	1990	GSGD45451050
45	972	405	1990	GSGD45451990

PIGEON HOLE SHOE RACK



- Grade 304 stainless steel
- Adjustable levelling feet
- Open front and easy to clean sloping top
- Can be incorporated into stepover benches

PAIRS	W	D	H	PRODUCT CODE
10	569	350	1700	GSSR10170569
15	840	350	1700	GSSR10170840
20	1120	350	1700	GSSR20171120
30	1690	350	1700	GSSR30171690

• Garment lockers are used as part of a uniform management system, allowing for inventory to be stored in individual lockers

• Supplied with cam or hasp & staple locks

• Compartments individually lockable

Can be louvred for air circulation





SINKS

Guardtech sinks are manufactured from grade 304 stainless steel and are designed for washrooms and change areas in critically controlled environments. Sinks are available with a standard lever tap system, knee operated or with infrared motion detection taps for hands-free operation to reduce cross contamination from contact.

• The following pages illustrate some standard options - however, sink and tap configurations can be manufactured to meet the exact space and specification requirements of your business.

• One tap and bowl per operator configuration

• Grade 304 stainless steel

OPERATORS

1

2

3

4

• Motion detector taps as standard

• Sloping top and high splashback

W

565

1130

1695

2290

• Dyson Airblade taps (pictured) available

D

540

540

540

540

H

1450

1450

1450

1450

• Available in grade 316 stainless steel





- Easy to clean slopping top
- Optional under-sink shelving & cupboards
- Available with point-of-use heaters
- Drainage pumps can be incorporated
- Open pedestal or stainless shroud options
- Available in 316 stainless steel

INSET BOWL SINK UNITS



• Easy to clean sloping top

• Also available with tall splashback

• 100mm upstand

SINKS WITH DRAINER & CUPBOARD

SINK H

850

850

850

850

PRODUCT CODE

GSBS1P540565

GSBS2P541130

GSBS3P541695

GSBS4P542290

- Flush wall fitting provided by inset legs
- Single or double bowl configuration • Taps mounted on rear ledge or splashback
- Height adjustable versions available

Wall-mounted sink

TROUGH – KNEE OPERATED

- Trough-style basin
- Also available with motion detector taps or Dyson Airblade taps
- Available open on pedestal or shrouded in 304 stainless steel
- Also available as a wall-mounted unit

OPERATORS	W	H	PEDESTAL	SHROUDED
1	465	400	GSTSKP140465	GSTSKS140465
2	800	400	GSTSKP240800	GSTSKS240800
3	1200	400	GSTSKP340120	GSTSKS340120
4	1600	400	GSTSKP440160	GSTSKS440160
5	2000	400	GSTSKP540200	GSTSKS540200
6	2400	400	GSTSKP640240	GSTSKS640240

R I	
Single bowl utility sink	•

H

850

850

850

850

750

750

750

750

1410

1910

1410

BOWL D

450

450

600

600

BACK H

350

350

350

350

PRODUCT CODE

GSUS2B451410

GSUS2B451910

GSUS2B601410

GSUS2B601910

- UTILITY SINKS
- Easy to clean sloping top
- 350mm tall splashback
- Flush wall fitting provided by inset legs
- Single or double bowl configuration

W	D	H
910	750	850
1160	750	850
1410	750	850
1910	750	850
910	750	850
1160	750	850
1410	750	850
1910	750	850


 Ideal for use in washrooms combined with pre-rinse tap units, Guardtech sink, drainer and cupboard combinations provide the perfect self-contained wash station with ample storage solutions.

CONFIGURATION	W	D	H	
Single drainer & bowl with two-door cupboard	1000	600	900	
Single drainer & bowl with three-door cupboard	1800	600	900	
Single drainer & two bowl with three-door cupboard	1800	600	900	Γ
Double drainer & two bowl with four-door cupboard	2400	600	900	Γ

www.guardtech.com



12





Pedestal version pictured

• Taps mounted on rear ledge or on splashback

Also available with low splashback

BOWL D	BACK H	PRODUCT CODE
450	350	GSUS1B450910
450	350	GSUS1B451160
450	350	GSUS1B451410
450	350	GSUS1B451910
600	350	GSUS1B600910
600	350	GSUS1B601160
600	350	GSUS1B601410
600	350	GSUS1B601910





sales@guardtech.com +44(0)33 011 30303

(13)

TAPS & DRAINAGE

A range of specialist taps and pre-rinse units can be installed on any Guardtech sink unit from the previous pages.

TAP	PRODUCT CODE
Dyson Airblade tap	GSTDA1000000
Motion sensor tap	GSTMS1000000
Lever 3" pillar tap	GSTL3P000000
Deck lever 3" tap	GSTDL3000000
Pre-rinse mono block	GSTTPRMB0000
Short pre-rinse	GSTSPR000000
Short pre-rinse with pot filler	GSTSPRPF0000











Motion sensor tap



Deck lever 3" tap



Pre-rinse mono block

- Lever 3" pillar tap
- Stainless steel drainage products provide an easy-to-clean, non-corrosive solution

• Drainage pipes, channels, drains and dump pots available in 304 or 316 stainless steel

• Available in a wide range of sizes and configurations • Guardtech can also pro-vide quotation for ground-works. Please call ... to hear all your options

TAP	PRODUCT CODE
Stainless straight drain pipe	Call for options
Stainless drainage channel	Call for options
Stainless floor drain	Call for options
Stainless bends	Call for options

WASTE SACK HOLDERS

• Waste sack holders in grade 304 stainless steel, open or shrouded units available with a hands-free system using a foot pedal to operate the lid, eliminating hand contact and minimising the risk of contamination.

Pedal bin

• 75-litre capacity

• Complete with lid

GSBLP0504080







• Bag	-clamping band		
H	PRODUCT CODE	W	

W	D	H	PRODUCT CODE
400	400	800	GSBLFS404080
300	300	600	GSBLFS303060

Waste bag holder

- Grade 304 stainless
- 350mm ring diameter
- Free standing

N

350

350

800

D

400

500

CONFIGURATION

With lid

Without lid

- 800mm high
- Bag-clamping band

PRODUCT CODE

GSBNNWM00350

GSBLNWM00350

- With or without lid
- Bag-clamping band

D	
350	











- Grade 304 stainless
- 350mm diameter

H	PRODUCT CODE
800	GSBNN0504080



(15)

CLEANROOM CHAIRS MVMT PRO

The MVMT Pro is designed for today's ultra-critical environments including staticsensitive and particle/microbe-controlled areas. The MVMT Pro offers weight-activated control, meaning an individual user's weight sets the tension, which alleviates resetting controls in multi-user shift workplaces.

• The seating is engineered for a task-specific range of motion and constant use. The MVMT Pro has a high end modern aesthetic and positively enhances corporate image.

• Water fall-front seat 18.5" wide x 17" deep x 3" thick with four-way contouring

Backrest 15.5" wide with full lumbar support

• Soft-touch pneumatic seat-height adjustment, rearward seat tilt, backrest tilt and height adjustment

• Optional – static control seating with ESD upholstery – rated to Class 1/ISO Class 3

• Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied

• Lock-out control mechanism can be locked in three different reclining positions with a simple twist of a knob

Suitable for ISO3 to ISO5 controlled environments.

• QR code profile system delivers individual webpage for every specific MVMT unit manufactured

Hermetically sealed under-seat rubber boot encapsulates moving parts and meets the stringent requirement of ISO3

Supported by a generous 13-year warranty






Armrest adjustment - height, width and depth can be adjusted & locked

www.guardtech.com

16



ontrols

BACK REST HEIGHT

Tall (19.5")

Tall (19.5")

Tall (19.5")

Short (15")

Short (15")

Short (15")

BLUE UPHOLSTERY

GCMVPBL17195

GCMVPBL20195

GCMVPBL24195

GCMVPBL01715

GCMVPBL02015

GCMVPBL02415

SEAT HEIGHT

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Adiust seat height, tilt, slide backrest angle and height, micro-tension control & control lockout



BLACK UPHOLSTERY

GCMVPBK17195

GCMVPBK20195

GCMVPBK24195

GCMVPBK01715

GCMVPBK02015

GCMVPBK02415

Resistance casters featuring a semisoft tread that won't roll away easily

MVMT TECH

Like the MVMT Pro, the Tech Series was created for ultra-critical environments including static-sensitive and particle/microbe-controlled areas such as medical device manufacturing, genetic research, pharmaceutical processing and similar facilities.

• Tech Series comes without arms as standard to allow tucking under work surfaces. Models available with tall and medium backrests and 13-year warranty.

• Similar to the MVMT Pro but with slightly downgraded control mechanisms, a cost effective yet high quality cleanroom seating option

• Intuitive functionality including weight-activated control and synchronous seat and backrest

• Engineered for task-specific range of motion and frequent use

• Exclusive QR code product tag delivers individual webpage for every MVMT unit manufactured

- Easy wipe-down upholstery
- ISO Class 5 clean room models available

 Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting chair from rolling away

- Arm rests are available upon request
- Also available in high bench size [seat height 24-33"]

SEAT HEIGHT	BACK REST HEIGHT	BLUE UPHOLSTERY	BLACK UPHOLS
Desk (17 - 21")	Tall (19.5")	GCMVTBL17195	GCMVTBK17 ⁻
Bench (20 - 27")	Tall (19.5")	GCMVTBL20195	GCMVTBK20
High Bench (24 - 33")	Tall (19.5")	GCMVTBL24195	GCMVTBK24
Desk (17 - 21")	Short (15")	GCMVTBL01715	GCMVTBK01
Bench (20 - 27")	Short (15")	GCMVTBL02015	GCMVTBK02
High Bench (24 - 33")	Short (15")	GCMVTBL02415	GCMVTBK02
High Bench (24 - 33")	Snort (15")	GUMV1BLU2415	GCMVTBKU





(17)

CLEANROOM CHAIRS ELITE

Elite is designed for use at 34-44" high benches. Features include easy pneumatic seat height adjustments from 22-32", an ergonomic seat with four-way contouring and internal seat board bumperguard, a mid-sized back with lumbar support and a plastic protective panel, plus convenient backrest tilt and height adjustments.

• The seat and back are covered with Grade 2 vinyl upholstery for durability and easy-cleaning. The chair rests on a high-profile 25.6" diameter cast aluminium base. Other features include dual-wheel, non-marring polyurethane casters that resist movement when the chair is left unoccupied.

• Ergonomic seat with waterfall front

• Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away

• Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest

• 13-year warranty with lifetime warranty on pneumatics

- Optional 22" diameter adjustable footring
- Also available in high bench configuration (seat height 24-33")



Optional arm rests - height can be adjusted & locked



Optional height adjustable stainless steel footring - 22" diameter slides easily, holds positively and stays put



BACK REST HEIGHT

Tall (19.5")

Tall (19.5")

Tall (19.5")

Short (15")

Short (15")

Short (15")

BLUE UPHOLSTERY

GCELTBL17195

GCELTBL20195

GCELTBL24195

GCELTBL01715

GCELTBL02015

GCELTBL02415

SEAT HEIGHT

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Desk (17 - 21")

Bench (20 - 27")

High Bench (24 - 33")

Task control with soft touch pneumatic adjusts seat height and back rest angle and height



BLACK UPHOLSTERY

GCELTBK17195

GCELTBK20195

GCELTBK24195

GCELTBK01715

GCELTBK02015

GCELTBK02415

Resistance casters featuring a semisoft tread that won't roll away easily

ARMOUR

Rugged multipurpose construction, full ergonomic adjustability and antimicrobial properties make this Armour series chair a versatile seating solution for lower grade controlled environments, laboratories and educational applications.

• This chair is designed for use at 29-33" high desks and benches. Functions include pneumatic seat height adjustment range of 17-21", fixed rearward seat tilt of 3.5 degrees, plus backrest tilt and height adjustment controls. Features 16" wide by 10.75" high backrest with lumbar support, ergonomic 17.5" wide by 15.5" deep seat with waterfall front, robust 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.

Easy-to-clean seat and backrest feature stipple finish and contain UV inhibitor and antimicrobial properties. Metal parts have chrome finish.

• Ergonomic seat with waterfall front

• Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away

• Rugged multi purpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest

- 13-year warranty with lifetime warranty on pneumatics
- Optional 22" diameter adjustable footring

• Also available in high bench configuration (seat height 24-33")

Bui cas tre

SEAT HEIGHT	TUBULAR BASE INCLUDING FOOTRING	BASE PLUS ADJUSTABLE FOOTRING
Desk (17 - 21")	GCARMTB00017	GCARMSBFR017
Bench (20 - 27")	GCARMTB00020	GCARMSBFR020
High Bench (24 - 33")	GCARMTB00024	GCARMSBFR024







Task control with soft touch pneumatic adjusts seat height and backrest angle and height



Seat and backrest made from Polypropylene containing UV inhibitor and antimicrobial properties



Built-in tubular footring. Resistance casters featuring a semi-soft tread that won't roll away easily



WORK BENCHES STAINLESS STEEL

Workbenches manufactured from grade 304 stainless steel (also available in 316) with an electro-polished surface, continuously welded seams and non-shedding adjustable levelling feet. Stainless steel is a preferential material due to its cleanability, strength and durability properties. It is also a material that will not generate particulate and offers high levels of resistance to many acids and cleaning agents.

Single bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box section and has the rail at the rear of the unit
- Available on casters as a mobile bench
- Available in 316 stainless steel
- All sizes can be configured with one or two solid shelves



CALL: 0330


113 0303

Triple bar frame:

- 304 grade stainless steel frame (30x30mm box) and work surface with fully welded frame & joint
- Heavy duty frame is manufactured from 50x50mm box
- Available on casters as a mobile bench
- Available in 316 stainless steel
- Triple bar undershelf









L	H	STANDARD FRAME	HEAVY-DUTY FRAME
600	900	GSWBS3600600	GSWBH3600600
600	900	GSWBS3600900	GSWBH3600900
600	900	GSWBS3600120	GSWBH3600120
600	900	GSWBS3600150	GSWBSH300150
600	900	GSWBS3600180	GSWBH3600180
750	900	GSWBS3750150	GSWBH3750150
750	900	GSWBS3750180	GSWBH3750180
900	900	GSWBS3900180	GSWBH3900180
	600 600 600 750 750	600 900 600 900 600 900 750 900 750 900	600 900 6SWBS3600120 600 900 GSWBS3600150 600 900 GSWBS3600180 750 900 GSWBS3750150 750 900 GSWBS3750180

HEIGHT ADJUSTABLE WORK BENCH

STAINLESS STEEL DESK



TRESPA WORK

Trespa is a highpressure compact laminate consisting of layers of wood-based fibres (paper and/or wood) impregnated with thermosetting phenolic resins and surface layers with with melamine-based resins. The components are bonded together with simultaneous application of heat and high-specific pressure to create a homogeneous non-porous clean,

smooth and attractive material with increased density and chemical resistance. Our Trespa bench frameworks are

 Adjustable levelling feet or casters 	W	D	J
 Work surface 16mm Trespa Toplab Base EO-00 White 	600	600	
Tupian Dase EU-OU WHILE	900	600	

- White powder-coated steel frame 25x50mm 16 gauge
- 2mm chamfered edges (black)

CALL: 0330 113 0303

- Draws below available
- Easy to clean



H

900

900

900

900

900

900

600

600

600

600

1000 1200

1500

1800



fashioned from powder-coated steel box section to give work benches strength and stability.

PRODUCT CODE	PLUS UPSTAND
GTSTDF906060	GTUPSF906060
GTSTDF906090	GTUPSF906090
GTSTDF906010	GTUPSF906010
GTSTDF906012	GTUPSF906012
GTSTDF906015	GTUPSF906015
GTSTDF906018	GTUPSF906018

Trespa work bench with undershelf

Adjustable levelling feet or casters

- Button control panel to change height setting
- Available with wheel casters
- Upstand available

Draws below available





TROLLEYS STAINLESS STEEL

Guardtech stainless steel trolleys are available in two variations – grade 304 stainless solid steel shelves or wired. Guardtech also produce a range of trolley passthrough hatches which can be found in our equipment brochure.

SHELVES	L	W	H	PRODUCT CODE
2	700	500	950	GST250700950
3	700	500	950	GST350700950
2	900	600	950	GST260900950
3	900	600	950	GST360900950
4	900	600	1290	GST460900129
2	1000	650	950	GST265100950
3	1000	650	950	GST365100950
4	1000	650	1290	GST465100129
2	1100	700	1000	GST270110100
3	1100	700	1000	GST370110100
4	1100	700	1350	GST470110100

Grade 304 stainless steel

• 360° casters with brakes on two wheels

• Available with brakes on all casters

• Fully welded seams

● Max load per shelf – 50kg

• Also available in stainless steel wired

• Available in grade 316 stainless



BUGGIES

• Heavy duty 5mm reinforced base

- Fully welded crevice free construction with beaked front rim
- Pushing handle for operation
- Diamond pattern wheels for manoeuvrability
- Can be manufactured without sideflights

• Also available perforated



LITRES	H	L	W	PRODUCT CODE
120	500	600	540	GSB120506054
200	710	700	680	GSB200717068
300	710	940	680	GSB300719468



-1 -

• Guardtech Cleanrooms - dedicated specifically to cater for the modular cleanroom market.

• Cleanroom Solutions - the newly acquired turnkey construction arm of the Guardtech Group.

Isoblok Pre-Fab Cleanrooms - plug-and-play modules constructed off site. Coming soon.

Isopod Rapid Cleanrooms – standardised quick-assembly 'pop-up' units made from stock.

• CleanCube Mobile Cleanrooms - high-quality portable controlled environments.



















Guardtech House Unit 1A Homefield Road, Haverhill, CB9 8QP



0330 113 0303



sales@guardtech.com www.guardtech.com

Guardtech group

